HEALTH OFFICIAL/POOLS & SPAS/BEACHES & LAKES REPORT FORM

Shipping No	INDIANA STATE DEPA Environmental La 1330 West Mic P.O. Bo Indianapolis, Ind	boratory Division chigan Street ox 1964
		ANALYSIS DATA - T
SAMPLES SUBMITTED WITH FORM WILL NOT BE ANALYZE Indiana State Department of Heal	ED. USE BLACK INK.	TEST: TOTAL COLIFO
(Name)		MF MTF
(Street) (City or Town)	IN	RESULT: PRESENT ABS
SAMPLE SUBMITTED BY: HEALTH OFFICIAL IDENTIFICATION NUMBER		TEST: FECAL COLIF
		MF MTF P/A
SAMPLE SOURCE (CHECK ONE) AND DESCRIPTION	RESULT:
Drinking Swimming Water Pool		PRESENT ABS
Bathing Beach Surface W Ditch, etc.		* If MTF is checked the result is If MF is checked the result is or If P/A is checked the result is p
Meat/Poultry Bottled W Plant	ater Dairy	Incidental Pseudomonas
		HETEROTROPHIC PLATE C
OTHER		REPORT
NAME/ORGANIZATION		SATISFACTORY:
ADDRESS		
LOCATION		UNSATISFACTORY
PHONETII		PLEASE SUBMIT AI NOT VALID BECAU
ADDITIONAL REPORTS ARE		Too long in trans
		Invalid/no collec
(Name)		Sample type not
(Street)		Other

Sample Number
Date Received

ANALYSIS DATA - TO BE COMPLETED BY LAB				
TEST: TOTAL COLIFORM				
METHOD: *				
MF MTF P/A	LST P/A MMO-MUG			
RESULT:				
PRESENT ABSEN	п []			
TEST: FECAL COLIFORM E. COLI				
METHOD: *				
MF MTF P/A	EC P/A MMO-MUG			
RESULT:				
PRESENT ABSEN	п []			
* If MTF is checked the result is number of positive tubes. If MF is checked the result is organisms per 100 ml. If P/A is checked the result is presence (P) or absence (A) Incidental Pseudomonas Detected				
HETEROTROPHIC PLATE COU	NT/1.0 ML/0.1 ML			
REPORT OF SAMPLES				
SATISFACTORY:	At examination time, this water was bacteriologically safe based on USEPA standards.			
UNSATISFACTORY:	At examination time, this water was bacteriologically unsafe.			

REPORT OF SAMPLES

SATISFACTORY:

At examination time, this water was bacteriologically safe based on USEPA standards.

UNSATISFACTORY:

At examination time, this water was bacteriologically unsafe.

PLEASE SUBMIT ANOTHER SAMPLE. TEST NOT VALID BECAUSE:

Too long in transit (more than 48 hours)

Invalid/no collection date.

Sample type not designated.

Other

(Zip)

(City or Town)